





■ [taping article]


Standard packing specification of (conductive polymer hybrid) aluminum electrolytic capacitors



Please inquire for details.




■ [long lead, lead forming]  
**Standard packing specification of aluminum electrolytic capacitors**

|                |  |   |
|----------------|--|---|
| Classification | Long lead, Lead forming of $\phi 10$ or less<br>(Standard packing)   | Lead forming of $\phi 12.5$ or more<br>(Standard packing)   |
| Packing style  |  <p>Plastic bag</p> <p>Inner box</p> |  <p>Small box</p> <p>Inner box</p> |



|                |  |
|----------------|--|
| Classification | $\phi 10$ to $\phi 18$<br>(Optional packing)   |
| Packing style  |  <p>Tray</p> <p>Inner box</p> |

Please inquire for details.

### Standard packing specification of Coin cell type

|               |  |  |  |
|---------------|--|--|--|
| Series        | <ul style="list-style-type: none"> <li>• CX1, CXJ, CXN, CXS</li> <li>• CB1, CBN, CBJ, CBS, CH1, CHL, CHC (<math>\phi 13.5</math>)</li> </ul> | <ul style="list-style-type: none"> <li>• CB1, CBN, CBJ, CBS, CH1, CHL, CHC (<math>\phi 21.5</math>)</li> </ul>     | <ul style="list-style-type: none"> <li>• CS1, CSK (614, 621)</li> <li>• CVN, CVL, CVS</li> </ul>                       |
| Packing style |  <p>200 pcs<br/>Plastic bag<br/>Inner box</p>              |  <p>Small box<br/>Inner box</p> |  <p>Plastic reel<br/>Inner box</p> |

### Standard packing specification of Cylindrical cell type

|               |  |   |
|---------------|--|---|
| Series        | <ul style="list-style-type: none"> <li>• DDU, DZ1, DZN, DZH (<math>\phi 6.3</math> to <math>\phi 18</math>)</li> </ul> | <ul style="list-style-type: none"> <li>• DDU, DZ1, DZN, DZH (<math>\phi 6.3</math> to <math>\phi 12.5</math>)</li> <li>Taping</li> </ul>  |
| Packing style |  <p>Plastic bag<br/>Inner box</p>   |  <p>Inner box<br/>Outer box</p> <p>Taping type's box size : refer to specification of aluminum electrolytic capacitors.</p> |

Please inquire for details.